

Communication Services

RICOH Interactive Whiteboard D7500

RICOH
imagine. change.



Transform the way you work

The Ricoh Interactive Whiteboard D7500 is here to help you transform your meetings and turn presentations into collaborative experiences. With a 75-inch touchscreen and vivid 4k Ultra HD resolution, it is ideal for larger spaces such as boardrooms and conference rooms. The D7500 is an all-in-one remote collaboration powerhouse. It allows the whole team to work together on projects and actively participate in presentations and meetings, whether they are in the room or across the world.

- One-stop collaboration hub with document annotation and web browsing capabilities
- Video conference-ready with built-in speakers and microphone, enhanced by Ricoh camera (optional)
- Integrates with Ricoh video conference services: UCS and UCS Advanced, and Skype™ for Business
- Adding Ricoh Streamline NX (SLNX) enables secure card-based device access and allows you to email and print anything produced on the whiteboard
- Designed for ease of use with two controller options: original Ricoh and OS free



Take your teamwork to the next level

Work together anywhere, anytime

Share documents in real time and give all team members the tools they need to contribute to meetings. With its built-in speakers and microphone and high-performance Ricoh camera (optional), the D7500 is video conference-ready and integrates with Ricoh UCS services and Skype™ for Business.



Collaboration made simple

Optimise your meetings and presentations with this all-in-one collaboration hub. The D7500 has an ultra high-resolution display that gives you all the space you need to share ideas. The multi-touch screen uses ShadowSense™ technology that enables you to precisely annotate documents.



Adaptable to your needs

With a range of connectivity options, the D7500 enables seamless integration with your devices. It comes with Bluetooth for smart phones and tablets, and includes multiple USB ports to attach hardware like keyboards. You can also browse the web straight from the whiteboard.



Secure and easy to use

With its intuitive interface and the choice between a Ricoh or an OS free controller, the D7500 is designed for ease of use. In addition, optional SLNX integration facilitates simple, secure card-based access and emailing and printing of the annotated documents to keep the team aligned.



RICOH Interactive Whiteboard D7500

MAIN SPECIFICATIONS

DISPLAY PANEL

Panel size:	Diagonal: 75" wide (1,892 mm)
Display type:	Liquid Crystal Display
Backlight:	LED System
Effective display area (W x H):	1,649.8 x 927.9 mm
Resolution:	Maximum: 3,840 x 2,160 (Full HD)
Colour:	Maximum: Over 1,070,000,000 colours
Brightness:	Maximum: 410 cd/m ²
Aspect ratio:	16 : 9
Contrast ratio:	1,200 : 1
Pixel pitch:	0.429 x 0.429 mm
Response speed:	8 ms (Grey to Grey, Ave.)
Viewing angle (H/V):	178° / 178°
Cover glass:	Thickness: 4 mm Anti-glare: AG pre-treated

TOUCH SYSTEM

Touch technology:	ShadowSense™
Touch point:	10 point (maximum), 4 point (with Ricoh controller option)
Touch resolution:	1,920 x 1,080
Touch pen request:	>= 10 mm
Touch output:	USB 2.0 (Type B)
Detection system electronic pen:	Light interception method (optional pen sensor kit and controller required)
OS (Multi touch):	Windows 7 Home Premium Windows 7 Ultimate Windows 7 Professional Windows 8/8.1 Windows 8/8.1 Pro Windows 8/8.1 Enterprise Windows Embedded 8 Standard Windows 10 Home Windows 10 Pro Windows 10 IOT Enterprise Windows Embedded 7 Standard
OS (Single touch):	Windows 7 Home Basic Mac OS X 10.10 - Max OS X 10.12

GENERAL

Interface (input):	Video: VGA, HDMI, DVI-D, DisplayPort™ Audio: Line 3.5 mm
Interface (output):	Video: DisplayPort™ Audio: Speaker-out Control: USB 2.0 (Type B)
Microphone:	Built-in microphone
Enhanced features:	Text OCR, IWB screen sharing to Ricoh UCS P3500, Network folder, Zooming, Remote sharing function, Data saving form (PDF v1.4), Data saving (USB memory), Remote PC operation, Remote browser viewing, Finger touch highlight, E-mail function, Print function, Cloud storage integration (Google Drive, OneDrive, Dropbox)
Built-in speaker:	12 W x 2
Dimensions (W x D x H):	1,783 x 198 x 1,055 mm
Weight:	Mainframe: 90 Kg Full configuration: 93 Kg
Power source:	100 - 240 V, 50/60 Hz
Control:	RS-232C (PC-control)

ECOLOGY

Power consumption:	Maximum: 420 W Stand-by mode: 0.5 W
Operating temperature:	0°C - 40°C
Operating humidity:	10% - 90%

ACCESSORIES

Quick guide, Power cable, HDMI cable, VGA cable, USB cable, Remote control with batteries, Operating manuals, Stylus pen, Pen tray, Screw for pen tray, Bluetooth dongle

OPTIONS

Remote license, Stand, Pen sensor kit (Pen sensor & interactive pen), Ricoh IWB controller, Camera unit


Remote networking including the iPad/Android app requires a license.

For availability of models, options and software, please consult your local Ricoh supplier.

RICOH
imagine. change.

RICOH (MALAYSIA) SDN BHD

Lock + Store, Level 1 & 3, No.5, Jalan Penyair U1/44
Off Jalan Glenmarie, 40150 Shah Alam,
Selangor Darul Ehsan, Malaysia.
Hotline: 1300 88 8228



www.ricoh.com.my